

1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Certificate of Analysis

Laboratory Sample ID: TE50114006-001



Jan 21, 2025 | Sublime Brands

License # 00000014ESNA15249640

1101 N 21st Ave Phoenix, AZ, 85009, US





SAFETY RESULTS



Heavy Metals **NOT TESTED**



Microbials **PASSED**



Mycotoxins **NOT TESTED**



Residuals Solvents **NOT TESTED**



NOT TESTED



Pages 1 of 2

Water Activity **NOT TESTED**



Kaycha Labs

Mango Sparkling H2O

Classification: Hybrid

Type: Beverage

Production Method: Alcohol (Non-Ethanol

Manufacturing Date: 2025-01-13 00:00:00

Sample Size Received: 411.32 gram

Sample Collection Time: 12:00 PM

Harvest/Lot ID: 102124.GS5 Batch#: 102124.GS5-MO-8

Lot Date: 2025-01-13 00:00:00 **Harvest Date:** 08/07/24

Sample Density: 1.08 g/mL

Total Amount: 1 units Retail Product Size: 355 ml Retail Serving Size: 355 ml

Hybrid Matrix: Infused

Moisture **NOT TESTED**



MISC.

Extraction)

Servings: 1

Ordered: 01/14/25 Sampled: 01/14/25

Completed: 01/17/25 Revision Date: 01/21/25

PASSED

Terpenes NOT **TESTED**

PASSED



Cannabinoid

Total THC 0.0024%

Total THC/Container: 9.20 mg



Total CBD



Total Cannabinoids

Total Cannabinoids/Container: 20.32 mg

Analysis Method: SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch: TE007266POT

Dilution: 6 Reagent : N/A Consumables : N/A Pipette: N/A

Instrument Used: TE-004 "Duke Leto" (Flower)
Analyzed Date: 01/15/25 16:58:18 Batch Date: 01/14/25 14:15:04

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual

Ariel Gonzales

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164



Signature 01/17/25



1231 W. Warner Road, Suite 105 Tempe, AZ, 85284, US (480) 220-4470

Kaycha Labs

Mango Sparkling H2O Hybrid

Matrix: Infused Type: Beverage

Page 2 of 2



PASSED

Certificate of Analysis Sample: TE50114006-001

Harvest/Lot ID: 102124.GS5 Lot Date: 01/13/25

Batch#: 102124.GS5-MO-8 **Sampled:** 01/14/25 Ordered: 01/14/25

Sample Size Received: 411.32 gram Total Amount: 1 units Completed: 01/17/25 Expires: 01/21/26

Sample Method : SOP Client Method

COMMENTS

License #: 00000014ESNA15249640

1101 N 21st Ave Phoenix, AZ, 85009, US

Telephone: (602) 525-4966

Email: info@sublimeaz.com

* Confident Cannabis sample ID: 2501KLAZ0057.0266



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual

Ariel Gonzales

Lab Director

00000024LCMD66604568 ISO 17025 Accreditation # 97164

Signature 01/17/25