



Certificate of Analysis

Pages 1 of 2

PASSED



Harvest/Lot ID: 120424
Batch #: 120424-PX-17
Harvest Date: 09/20/24
Manufacturing Date: 03/06/25
Production Method: Butane
Total Amount: 1 units
Retail Product Size: 354.88 ml
Retail Serving Size: 354.88
Density: 1.08 g/mL
Servings: 1

Lab ID: TE50307005-001
Ordered: 03/07/25
Sampled Date: 03/07/25
Sample Collection Time: 10:30 AM
Sample Size: 409.76 gram
Completed: 03/11/25
Revised: 06/02/25

Sublime Brands

1101 N 21st Ave
Phoenix, AZ, 85009, US
License # : 00000014ESNA15249640

SAFETY RESULTS

MISC.

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filtration	Water Activity	Moisture Content	Vitamin E	Terpenes
NOT TESTED	NOT TESTED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED



Cannabinoid

PASSED



Total THC
0.0251%
Total THC/Container : 96.20 mg



Total CBD
ND
Total CBD/Container : 0.00 mg



Total Cannabinoids Q3
0.0268%
Total Cannabinoids/Container : 102.72 mg

	D9-THC	THCA	CBD	CBDA	CBG	CBGA	CBN	D8-THC	THCV	CBDV	CBC
%	0.0251	ND	ND	ND	0.0015	ND	ND	ND	ND	ND	<LOQ
mg/unit	96.201	ND	ND	ND	5.749	ND	ND	ND	ND	ND	<LOQ
LOD	0.0001	0.0001	0.0001	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0001
LOQ	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
%	%	%	%	%	%	%	%	%	%	%	%
Qualifier											

Analyzed by:
312, 333, 540, 547, 272, 545

Weight:
2.003g

Extraction date:
03/11/25 15:24:41

Extracted by:
333

Analysis Method : SOP.T.30.500, SOP.T.30.031, SOP.T.40.031

Analytical Batch : TE008021POT

Instrument Used : TE-004 "Blossom" (Flower)

Analyzed Date : 03/11/25 17:01:50

Batch Date : 03/11/25 12:51:22

Dilution : 6

Reagent : 031125.R03; 031025.R05; 022825.R20; 010825.R33

Consumables : 0000179471; 9479291.162; 0000005808; 8000038072; 08-24-2022; 20240202; 1008443837; 011724CH01; 220321-306-D; 269336; GD240003

Pipette : TE-059 SN:20A04528 (20-200uL); TE-065 SN:20B18327 (100-1000uL); TE-164 SN: 21H24198 (Isopropanol)

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with Photo Diode Array detector (HPLC-PDA) for analysis. (Methods: SOP.T.30.500 for sample homogenization, SOP.T.30.031 for sample prep, SOP.T.40.031 for analysis on Shimadzu LC-20X0 series HPLCs). Potency results for cannabis flower products are reported on an "as received" basis, without moisture correction.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #3 This revision supersedes any and all previous versions of this document.

Madison Levy

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Madison Levy

Signature
03/11/25

Revision: #1 -
Source Batch COA
Add
Revision: #2 -
Source Batch COA
Add
Revision: #3 -
changed production
method



Certificate of Analysis

Pages 2 of 2

Sublime Brands

1101 N 21st Ave
Phoenix, AZ, 85009, US
License #: 00000014ESNA15249640

Sample: TE50307005-001

Batch #: 120424-PX-17
Harvest/Lot ID: 120424

Ordered: 03/07/25
Sampled: 03/07/25
Completed: 03/11/25

PASSED



Label Claim Verification

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Analyzed by: Weight: Extraction date: Extracted by:



Microbial

PASSED

ANALYTES

UNIT LOD LOQ LIMIT PASS/FAIL RESULT QUALIFIER

SALMONELLA SPP. pass/fail 1 1 1 PASS Not Detected in 1g

ESCHERICHIA COLI (REC) CFU/g 10 10 100 PASS <10

Analyzed by: 87, 272, 545 Weight: 1g Extraction date: 03/11/25 17:59:43 Extracted by: 527,87

Analysis Method : SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208, SOP.T.40.209.AZ

Analytical Batch : TE008007MIC

Instrument Used : TE-234 "bioMérieux GENE-UP"

Batch Date : 03/10/25 15:30:13

Dilution : 10

Reagent : 013025.28; 013025.29; 120524.20; 021825.24; 021925.05

Consumables : 343L9Y; 7161130; X003K27VF3

Pipette : TE-053 SN:20E78952; TE-061 SN:20C35454; TE-062 SN:20C50491; TE-065 SN:20B18327 (100-1000uL); TE-066 SN:20D56970; TE-069 SN:21B23920; TE-109 SN:20B18330; TE-256 Dispensette S Bottle Top Dispenser SN:20G36073; TE-258

Microbiological screening for bacterial and fungal identification via Polymerase Chain Reaction (PCR) methods consisting of sample DNA amplified via tandem PCR as a crude lysate without purification. (Methods: SOP.T.40.058.AZ for sample prep and screening for Salmonella and Aspergillus sp. via BioMérieux GENE-UP RT-PCR and SOP.T.40.209.AZ for quantitative plating of E. coli on 3M Rapid E. coli Petrifilm. All qualitative microbial testing is reported as present/not present in 1g, which is equivalent to detected/not detected in 1g.

CONFIDENT CANNABIS QR

* Confident Cannabis sample ID: 2503KLAZ0295.1432



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State-determined thresholds based on the action limits published in Table 3.1 of 9 A.A.C. 17 and 9 A.A.C. 18. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing results were obtained according to requirements stated in QMS.100.010.AZ Quality Manual.

Revision: #3 This revision supersedes any and all previous versions of this document.

Madison Levy

Lab Director

State License #
00000024LCMD66604568
ISO 17025 Accreditation #
97164

Signature
03/11/25

Revision: #1 -
Source Batch COA
Add
Revision: #2 -
Source Batch COA
Add
Revision: #3 -
changed production
method



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9967

120424

Batch #: 120424
Strain: Growers Blend Hybrid
Parent Batch #:
Production Method: Butane
Harvest Date: 09/20/2024
Received: 12/09/2024

Sample ID: 2412SMAZ1533.4592
Amount Received: 11.9 g
Sample Type: Distillate
Sample Collected: 12/09/2024 13:59:00
Manufacture Date: 12/04/2024
Published: 12/31/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3) Tested	Microbial Contaminants Pass	Residual Solvents Pass
Pesticides, Fungicides, and Growth Regulators Pass	Mycotoxins Pass	Heavy Metals Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3) Not Tested	Moisture Analysis (Q3) Not Tested	Water Activity (Q3) Not Tested
Filth & Foreign (Q3) Not Tested	Homogeneity (Q3) Not Tested	Additional Microbial Contaminants (Q3) Not Tested

86.842%
Total THC

0.380%
Total CBD

0.892%
CBN

6.493%
CBG

95.169%
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9967

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 12/10/2024
SOP: 418.AZ
Batch Number: 2352

Sample Analysis

Date: 12/11/2024
SOP: 417.AZ - HPLC
Sample Weight: 0.043 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.300	0.909	1	0.204	2.038	
CBD	0.300	0.909	1	0.380	3.795	
CBDA	0.300	0.909	1	ND	ND	
CBDV	0.300	0.909	1	ND	ND	
CBG	0.300	0.909	1	6.493	64.929	
CBGA	0.300	0.909	1	ND	ND	
CBN	0.300	0.909	1	0.892	8.920	
d8-THC	0.300	0.909	1	ND	ND	
d9-THC	0.300	0.909	1	86.842	868.419	
THCA	0.300	0.909	1	ND	ND	
THCV	0.300	0.909	1	0.359	3.587	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	86.842	868.419	
Total CBD	0.380	3.795	
Total Cannabinoids	95.169	951.688	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9967

Microbial Analysis

Pass

Sample Prep

Batch Date: 12/10/2024
SOP: 412.AZ
Batch Number: 2349

Sample Analysis

Date: 12/11/2024
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.098 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 12/10/2024
SOP: 406.AZ
Batch Number: 2348

Sample Analysis

Date: 12/11/2024
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 12/10/2024
SOP: 406.AZ
Batch Number: 2348

Sample Analysis

Date: 12/11/2024
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9967

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 12/10/2024
SOP: 405.AZ
Batch Number: 2347

Sample Analysis

Date: 12/11/2024
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.050 g


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9967

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 12/12/2024
SOP: 428.AZ
Batch Number: 2362

Sample Analysis

Date: 12/12/2024
SOP: 428.AZ - ICP-MS
Sample Weight: 0.214 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.187	10	0.4	ND	
Cadmium	0.056	0.187	10	0.4	ND	
Lead	0.056	0.467	10	1	ND	
Mercury	0.056	0.093	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 12/10/2024
SOP: 432.AZ
Batch Number: 2353

Sample Analysis

Date: 12/12/2024
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.508 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.94	9.84	1	20	ND	R1
Aflatoxin B1	3.94	9.84	1		ND	I1
Aflatoxin B2	3.94	9.84	1		ND	
Aflatoxin G1	3.94	9.84	1		ND	I1, R1
Aflatoxin G2	3.94	4.92	1		ND	
Ochratoxin A	9.84	9.84	1	20	ND	I1, M1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9967

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS **Pass**

Sample Prep

Batch Date: 12/10/2024
SOP: 432.AZ
Batch Number: 2353

Sample Analysis

Date: 12/12/2024
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.508 g
Volume: 12.5 mL


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.082 / 0.246	1	0.5	ND	M2	Hexythiazox	0.164 / 0.492	1	1	ND	M2
Acephate	0.066 / 0.197	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	M2
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.066 / 0.197	1	0.4	ND	
Aldicarb	0.066 / 0.197	1	0.4	ND		Kresoxim-methyl	0.066 / 0.197	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND	M1	Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND	M2	Methiocarb	0.032 / 0.098	1	0.2	ND	M2
Boscalid	0.066 / 0.197	1	0.4	ND	M2	Methomyl	0.066 / 0.197	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND		Myclobutanil	0.032 / 0.098	1	0.2	ND	
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.082 / 0.246	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.164 / 0.492	1	1	ND	
Chlorfenapyr	0.164 / 0.492	1	1	ND	M2	Paclobutrazol	0.066 / 0.197	1	0.4	ND	M2
Chlorpyrifos	0.032 / 0.098	1	0.2	ND	M2	Permethrins	0.032 / 0.098	1	0.2	ND	M2
Clofentezine	0.032 / 0.098	1	0.2	ND	M2	Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.164 / 0.492	1	1	ND	M2	Piperonyl Butoxide	0.328 / 0.984	1	2	ND	
Cypermethrin	0.164 / 0.492	1	1	ND	I1, M2	Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.164 / 0.492	1	1	ND		Propiconazole	0.066 / 0.197	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND	M2	Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.138 / 0.412	1	1	ND	I1, M2
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	M2
Ethoprophos	0.032 / 0.098	1	0.2	ND	M2	Spinosad	0.032 / 0.098	1	0.2	ND	M2
Etofenprox	0.066 / 0.197	1	0.4	ND	M2	Spiromesifen	0.032 / 0.098	1	0.2	ND	M2
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.066 / 0.197	1	0.4	ND	M2
Fenpyroximate	0.066 / 0.197	1	0.4	ND	M2	Tebuconazole	0.066 / 0.197	1	0.4	ND	
Fipronil	0.066 / 0.197	1	0.4	ND	I1	Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.164 / 0.492	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.066 / 0.197	1	0.4	ND	M2	Trifloxystrobin	0.032 / 0.098	1	0.2	ND	M2

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9967

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Sublime
1035 N. 21st Ave
Phoenix, AZ 85009
License #: 00000014ESNA15249640
Sample ID: 2412SMAZ1533.4592
Batch #: 120424



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9967

Notes: 12/31/2024 Revision:

Production method revised from "Alcohol" to "Butane"




Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>